INDEX BY AUTHOR

Arntsen B., *see* Sollid A.
Astin T.R., *see* Peacock S.

Backe K.R., *see* Lile O.B.
Balch A.H. and Erdemir C. Sign-change correction for prestack migration of P-S converted wave reflections, 637
Başokur A.T. Definitions of apparent resistivity for the presentation of magnetotelluric sounding data, 141
Başokur A.T. Reply to Comment on 'Definitions of apparent resistivity for the presentation of magnetotelluric sounding data' by L. Szarka, 989
Berg P., *see* Nielsen P.
Bernasconi G., *see* Mazzotti A.
Best A.I., McCann C. and Southcott J. The relationships between the velocities, attenuations and petrophysical properties of reservoir sedimentary rocks, 151
Bibby H.M. Reply to Comment on 'Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor' by X. Li and L.B. Pedersen, 527
Bibby H.M. Reply to Comment on 'Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor' by D. Doicin, 537
Buan J.E., *see* Lile O.B.

Camacho A.G., Vieira R., Montesonos F.G. and Cuéllar V. A gravimetric 3D Global inversion for cavity detection, 113
Cheng C.H., *see* Cheng N.; Peng C.
Cheng N., Zhu Z., Cheng C.H. and Toksöz M.N. Experimental and finite difference modelling of borehole Mach waves, 303
Cuéllar V., *see* Camacho A.G.

de Bazelaire E. and Viallix J.R. Normal moveout in focus, 477
Deluchi L. Comment on 'Simultaneous vibroseis recording' by J.E. Martin and C.W.M. Bacon, 521
Doicin D. Comment on 'Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor' by H.M. Bibby and G.W. Hohmann, 531
du Plooy A., *see* Goldman M.
Dynesius L., *see* Pedersen L.B.

Eckard M., *see* Goldman M.
Eckhardt W. Velocity model updating using image gathers, 975
Elvebakk H., *see* Lile O.B.
Erdemir C., *see* Balch A.H.

Fedi M., Florio G. and Rapolla A. A method to estimate the total magnetization direction from a distortion analysis of magnetic anomalies, 261
Ferber R.-G. Migration to multiple offset and velocity analysis, 99
Fischer G. Reply to Comment on 'Some remarks on the behaviour of the magnetotelluric phase' by Xiaobo Li and Laust B. Pedersen, 97

Florio G., *see* Fedi M.
Furness P. A physical approach to computing magnetic fields, 405

Goldman M., du Plooy A. and Eckard M. On reducing ambiguity in the interpretation of transient electromagnetic sounding data, 3
Gregotski M.E., *see* Pilkington M.

Hanitzsch C., Schleicher J. and Hubral P. True-amplitude migration of 2D synthetic data, 445
Hashish E.A., *see* Mohsen A.A.
Hestholm S. and Ruud B. 2D finite-difference elastic wave modelling including surface topography, 371
Hobbs B.A. and Reading A.M. Shallow fault location in coal measures using offset Wenner resistivity profiling, 343
Horne S. and MacBeth C. Inversion for seismic anisotropy using genetic algorithms, 953
Hubral P., *see* Hanitzsch C.

If F., *see* Nielsen P.
Ivan M. Line integrals of potential field data, 735
Ivan M. Upward continuation of potential fields from a polyhedral surface, 391

Jastram C. and Tessmer E. Elastic modelling on a grid with vertically varying spacing, 357

Kern M., *see* Symes W.W.
Kofman W., *see* Nicollin F.
Kumar G.V.R.K., *see* Visweswara Rao C.

Lapenna V., Macchiato M., Patella D., Satriano C., Serio C. and Tramutoli V. Statistical analysis of non-stationary voltage recordings in geoelectrical prospecting, 917
Legchenko A.V., *see* Trushkin D.V.
Levander A.R., *see* Shih R.-C.
Li X. and Pedersen L.B. Comment on 'Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor' by H.M. Bibby and G.W. Hohmann, 525
Li X. and Pedersen L.B. Comment on 'Some remarks on the behaviour of the magneto-telluric phase' by G. Fischer, 93
Lile O.B., Backe K.R., Elvebakk H. and Buan J.E. Resistivity measurements on the sea bottom to map fracture zones in the bedrock underneath sediments, 813
Liu G. Tectonic modelling in the Bjørnøya West Basin of the Western Barents Sea, 277
Liu J., *see* Zeng H.
Loewenthal D. Comment on 'Aspects of 1D seismic modelling using the Goupillaud principle' by Evert Slob and Anton Ziolkowski, 89

MacBeth C., *see* Horne S.
McCann C., *see* Best A.I.; Peacock S.
Macchiato M., *see* Lapenna V.
Martin J.E. Reply to Comment on 'Simultaneous vibroseis recording' by L. Deluchi, 523
Matsuo K., *see* Sasaki Y.

Mazzotti A., Melis A.M., Ravagnan G. and Bernasconi G. AVO signatures of actual and synthetic reflections from different petrophysical targets, 463
Melis A.M., *see* Mazzotti A.
Mohsen A.A. and Hashish E.A. The fast Hankel transform, 131
Montesonos F.G., *see* Camacho A.G.

Nafi Toksöz M., *see* Peng C.
Nicollin F. and Kofman W. Ground penetrating radar sounding of a temperate glacier; modelling of a multilayered medium, 715
Nielsen P., If F., Berg P. and Skovgaard O. Using the pseudospectral technique on curved grids for 2D acoustic forward modelling, 321
Nobes D.C., *see* Theimer B.D.
Nolen-Hoeksema R.C., *see* Yilmaz Ö.
Nur A., *see* Yilmaz Ö.

Patella D., *see* Lapenna V.
Patella D. and Siniscalchi A. Two-level magnetovariational measurements for the determination of underground resistivity distributions, 417
Peacock S., McCann C., Sothcott J. and Astin T.R. Seismic velocities in fractured rocks: an experimental verification of Hudson's theory, 27
Pedersen L.B., *see* Li X.
Pedersen L.B., Qian W., Dynesius L. and Zhang P. An airborne tensor VLF system. From concept to realization, 863
Peng C., Cheng C.H. and Nafi Toksöz M. Cased borehole effects on downhole seismic measurements, 777
Pilkington M., Gregotski M.E. and Todoeschuck J.P. Using fractal crustal magnetization models in magnetic interpretation, 677
Pramanik A.G., *see* Visweswara Rao C.

Qian W., *see* Pedersen L.B.
Qian W. On small-scale near-surface distortion in controlled source tensor electromagnetics, 501
Qin S. An analytic signal approach to the interpretation of total field magnetic anomalies, 665

Raju M.L., *see* Visweswara Rao C.
Rapolla A., *see* Fedi M.
Ravagnan G., *see* Mazzotti A.
Reading A.M., *see* Hobbs B.A.
Ruud B., *see* Hestholm S.

Sams M.S. and Williamson P.R. Backus averaging, scattering and drift, 541
Sasaki Y., Matsuo K. and Yokoi K. Resistivity inversion of cross-hole and borehole-to-surface EM data using axially symmetric models, 745
Satriano C., *see* Lapenna V.
Schleicher J., *see* Hanitzsch C.
Schoenberg M. Transversely isotropic media equivalent to thin isotropic layers, 885
Serio C., *see* Lapenna V.
Shih R.-C. and Levander A.R. Layer-stripping reverse-time migration, 211

Shushakov O.A., *see* Trushkin D.V.
Siniscalchi A., *see* Patella D.
Skovgaard O., *see* Nielsen P.
Slob E., *see* Ziolkowski A.
Slob E. and Ziolkowski A. Reply to Comment on 'Aspects of 1D seismic modelling using the Goupillaud principle' by E. Szaraniec, 85
Sollid A. and Arntsen B. Cost-effective 3D one-pass depth migration, 755
Sothcott J., *see* Peacock S.
Southcott J., *see* Best A.I.
Spagnolini U. Compound events decomposition and the interaction between AVO and velocity information, 241
Symes W.W. and Kern M. Inversion of reflection seismograms by differential semblance analysis: algorithm structure and synthetic examples, 565
Szaraniec E. Comment on 'Aspects of 1D seismic modelling using the Goupillaud principle' by Evert Slob and Anton Ziolkowski, 81
Szarka L. Comment on 'Definitions of apparent resistivity for the presentation of magneto-telluric sounding data' by A.T. Başokur, 987

Tessmer E., *see* Jastram C.
Theimer B.D., Nobes D.C. and Warner B.G. A study of the geoelectrical properties of peatlands and their influence on ground-penetrating radar surveying, 179
Tillard S. Radar experiments in isotropic and anisotropic geological formations (granite and schists), 615
Todoeschuck J.P., *see* Pilkington M.
Toksöz M.N., *see* Cheng N.
Tramutoli V., *see* Lapenna V.
Trushkin D.V., Shushakov O.A. and Legchenko A.V. The potential of a noise-reducing antenna for surface NMR groundwater surveys in the earth's magnetic field, 855

Viallix J.R., *see* de Bazelaire E.
Vieira R., *see* Camacho A.G.
Visweswara Rao C., Pramanik A.G., Kumar G.V.R.K. and Raju M.L. Gravity interpretation of sedimentary basins with hyperbolic density contrast, 825

Warner B.G., *see* Theimer B.D.
Williamson P.R., *see* Sams M.S.

Yaramanci U. Relation of *in situ* resistivity to water content in salt rocks, 229
Yilmaz Ö., Nolen-Hoeksema R.C. and Nur A. Pore pressure profiles in fractured and compliant rocks, 693
Yokoi K., *see* Sasaki Y.

Zeng H., Zhang Q. and Liu J. Location of secondary faults from cross-correlation of the second vertical derivative of gravity anomalies, 841
Zhang P., *see* Pedersen L.B.
Zhang Q., *see* Zeng H.
Zhu Z., *see* Cheng N.
Ziolkowski A., *see* Slob E.
Ziolkowski A. and Slob E. Reply to Comment on 'Aspects of 1D seismic modelling using the Goupillaud principle' by Dan Loewenthal, 91